

PORTFOLIO

REDBOX MARKETING 



OUR SERVICES

ADVERTISING

- Campaign Development
- Copywriting
- Digital
- Outdoor
- Print
- Media Planning and Buying
- Radio
- TV

CREATIVE DESIGN

- Annual Reports
- Brochures
- Catalogues
- Corporate Identity development
- Display/Expo Design
- Folders
- HTML Mailers
- Invitations
- Logo Development
- Mobile Apps
- Website Design





**OUR
WORK**

CLIENT:
a.b.e.

a.b.e.[®] Construction Chemicals
WATERPROOFING

www.abe.co.za

a.b.e.[®] is an ISO 9001:2008 registered company
PO Box 5100, Boksburg North, 1461, South Africa
Website: www.abe.co.za | Tel: +27(0) 11 306 9000
Durban | Johannesburg | Cape Town | Port Elizabeth
| East London | Bloemfontein | George

a.b.e.[®] is a Chryso Group Company **CHRYSO**
CHEMICAL SOLUTIONS FOR THE CONSTRUCTION MATERIALS MARKET

a.b.e.[®] Construction Chemicals
CONCRETE REPAIR

www.abe.co.za

a.b.e.[®] is an ISO 9001:2008 registered company
PO Box 5100, Boksburg North, 1461, South Africa
Website: www.abe.co.za | Tel: +27(0) 11 306 9000
Durban | Johannesburg | Cape Town | Port Elizabeth
| East London | Bloemfontein | George




a.b.e.[®] is a Chryso Group Company **CHRYSO**
CHEMICAL SOLUTIONS FOR THE CONSTRUCTION MATERIALS MARKET

a.b.e.[®] Construction Chemicals
GENERAL CONSTRUCTION

www.abe.co.za


a.b.e.[®] is an ISO 9001:2008 registered company
PO Box 5100, Boksburg North, 1461, South Africa
Website: www.abe.co.za | Tel: +27(0) 11 306 9000
Durban | Johannesburg | Cape Town | Port Elizabeth
| East London | Bloemfontein | George

a.b.e.[®] is a Chryso Group Company **CHRYSO**
CHEMICAL SOLUTIONS FOR THE CONSTRUCTION MATERIALS MARKET





DO-IT-YOURSELF PRODUCT SELECTOR





JOIN THE CHRYSO SOUTHERN AFRICA GROUP (CHRYSO & a.b.e.®) AT BAUMA AFRICA 2013 (HALL 5, STAND 425): ONE OF THE LARGEST TRADE SHOWS IN AFRICA.

WHEN:
18th – 21st
September 2013.

WHERE:
Gallagher Convention
Centre, Midrand, JHB.

For free entrance to Bauma Africa 2013 please click on the below button. Then complete the online registration process.

CLICK HERE TO REGISTER FOR THE EVENT





**OUR
WORK**

CLIENT:
ATC

Robert is a corporate technical director.
His need: cost effective voice solutions.



**Our voice services are the perfect fit.
You dream it. We make it happen.**

The spoken word may be the oldest form of communication, but it's far from obsolete. Altech Technology Concepts routes voice calls on our high-speed, voice-optimised network to ensure interbranch calls are of exceptional quality, yet low in cost. Communicating with the rest of the world is made easy and cost-effective with our local and international connections. So with a VoIP infrastructure that is continuously managed and monitored, whatever your voice needs, our quality, flexibility and reliability remain constant.



techconcepts.co.za
(011) 650 3888
info@techconcepts.co.za

Thandiwe started her own business.
Her need: reliable internet access.



**Our internet services are the perfect fit.
You dream it. We make it happen.**

When it comes to Internet services, one size does not fit all. Some clients value quality and reliability, while others value performance and cost efficiency. At Altech Technology Concepts, we find the perfect fit for you. Whether it's premium, uncapped or usage-based Internet access, we meet your criteria. And if your business has unique requirements, we create the ideal solution. Needs may vary, but our quality, flexibility and reliability remain constant.



techconcepts.co.za
(011) 650 3888
info@techconcepts.co.za



**OUR
WORK**

CLIENT:
Absolute Aviation



ABSOLUTE AVIATION *Hawker Beechcraft*



REMINDER

AFRICAN AEROSPACE & DEFENCE EXPO 2012

Attend as a VIP Guest of Absolute Aviation and Hawker Beechcraft, and enjoy our premium hospitality in our executive lounge.

VENUE:
Waterkloof Airforce Base, Centurion, City of Tswane (Chalet 21).

DATE:
Wednesday, 19th - 21st September 2012.

TIME:
09h00 until 17h00
(Refreshments will be available throughout the day)

PLEASE INDICATE WHICH DAYS YOU WILL BE ATTENDING





**OUR
WORK**

CLIENT:
ASUS







**OUR
WORK**

CLIENT:
Chryso



CHRYSO® Dem Aqua 100



A CHRYSO® Solution for the green revolution:

Many toxic, non biodegradable demoulding oils pollute the soil and groundwater when moulds are washed or rain water runs down the moulds. In addition to this, these toxic demoulding oils can cause occupational lung and skin diseases.

In response to this problem, CHRYSO has developed a **biodegradable vegetable based demoulding oil – CHRYSO® Dem Aqua 100**. This is a delayed demoulding agent and is the latest development from the CHRYSO research department on emulsified vegetable oil based mould release agents.

CHRYSO Southern Africa (Pty) Ltd.

Share Call facility: 0861 CHRYSO

Gauteng (head office): 26 Malcolm Moodie Crescent, Jet Park
T: +27(0)11 395 9700 | F: +27(0)11 397 6644 | W: www.chryso.com

CHRYSO Group: 19 Place de la Résistance 92446 Issy-les-Moulineaux cedex, France
T: +33(0)1 41 171880

CHRYSO
CHEMICAL SOLUTIONS FOR THE
CONSTRUCTION MATERIALS INDUSTRY

Limestone 28 DAYS ACTIVATION

How to increase limestone cement
on CEM II 32,5 R

MAIN OBJECTIVES

- Increase the limestone content at maximum without losing 2 and 28 day strengths
- Increase cement production
- Reduce energy costs
- Improve cement fluidity

CONTEXT

1 - Commercial

- Limestone is the only SCM available in the area
- Clinker is in short supply (import needed)
- Grinding station is at full capacity, market demand is growing
- Production capacity needs to be increased to keep the market share

2 - Technical

- Cement grinding station capacity: 1 000 000 tonnes/per year
- Grinding process specifications:
 - Classical cement ball mill
 - Close circuit with 3rd generation classifier
 - Mill energy consumption: 46,5 KW/tonne cement
 - Energy cost: US\$0,06/KWh
 - Limestone is ground with the cement in the ball mill
- Current cement specifications without CHRYSO® Activator
 - CEM II B-LL 32,5 R (71% clinker, 24% limestone, 5% synthetic gypsum)
 - SSB: 3 500 cm²/g
 - Limestone: US\$10/tonne
 - Clinker: > US\$50/tonne

CHRYSO® PRODUCT CHOICE

■ The CHRYSO® Activator 28 day range is the following:

	Productivity	1 Day activation	28 Day activation	Pack-set index	Chloride content	Dosage (g/ton of cement)
CHRYSO®AMA 5 L	+++	++	+++	++	0	300-400
CHRYSO®AMA 32 L	+++	++	+++	++	0	250-350
CHRYSO®AMA 30 EL	+++	+++	+++	++	0	300-400
CHRYSO®AMA 19 EL	++++	++++	++++	+++	0	300-400

■ CHRYSO®AMA 32 L and CHRYSO®AMA 19 EL was tested.


■ The products are added directly onto the clinker belt and the dosage ranges between 0,3 kg to 0,4 kg/ tonne of material to be ground. Optimum dosage is determined by industrial trials.

TRIAL

■ Products tested: CHRYSO®AMA 32 L and CHRYSO®AMA 30 EL

REFERENCE: PRODUCTION WITHOUT ADDITIVES

- During the reference period, the mill was running under usual operating conditions without any additive. The reference production was carried out on day 1. Refer to table for limestone composition overleaf.
- Analysis of the production was conducted online (production feed, Blaine, 45µm and mill temperature) and manually for the pack set index.
- The finished product was tested hourly for Blaine Surface Area, SO₃, 45µm fineness and particle size distribution.



CHRYSO Southern Africa (Pty) Ltd.

Sharecall facility: 0861 CHRYSO

Gauteng (head office): 26 Malcolm Moodie, Crescent, Jet Park
T: +27(0)11 395 9700 | F: +27(0)11 397 6644 | W: www.chryso.com

CHRYSO
CHEMICAL SOLUTIONS FOR THE
CONSTRUCTION MATERIALS INDUSTRY
www.chryso.com



**OUR
WORK**

CLIENT:
Epson

EXPRESS YOUR VISION WHEREVER YOU ARE



This advertisement will still be linked with the Epson Stylus C110 / D120, which is known as the "high performance personal business inkjet". This printer can be used both at work and at home, and the copy will carry through the concept of this being a "wherever you are" printer. It will also incorporate the notion of having vision.

EPSON
EXCEED YOUR VISION

SOME VISIONS EXCEED THEIR DIMENSIONS



This advertisement is to be linked with the Epson Stylus Pro 3800, known for having the smallest footprint on the market. It is, however, a large format printer. It is also a professional printer, even though it is small, which fits in with the concept of the advertisement. It is known for its "no-compromise quality, versatility and value", as well as its unique colour ink system.

EPSON
EXCEED YOUR VISION



**OUR
WORK**

CLIENT:
Kemtek/Brother

P-touch

brother
at your side



THIS COULD BE YOUR USUAL LUNCH SPOT.
**LABEL YOURSELF A WINNER
WITH THE BROTHER PT-7600VP.**

The **Brother P Touch 7600VP** comes with everything you will need to optimize your electrical business. With laminated, waterproof rugged labels that have been tested to the extreme - this industry leading labeller could even **WIN** you a **Dream Mauritius Holiday for two**. To label yourself a winner, purchase a **Brother P Touch 7600VP** between 1 April and 31 July 2013. Then visit www.labelmeawinner.co.za and enter.





JUST LIKE YOU, OUR LABELS LOVE THE WATER.
LABEL YOURSELF A WINNER WITH THE BROTHER PT-7600VP.

NEED ANOTHER REASON TO ENTER? TEN LUCKY WINNERS WILL RECEIVE TZe TAPE TO THE VALUE OF R500-00 AT THE END OF THIS MONTH!



Water Resistant



Laminated



Temperature Resistant



Strong Adhesion



Easy Peel



Fade Resistant



Abrasion Resistant



Chemical Resistant

WANT TO WIN A TRIP TO MAURITIUS?
PLEASE CLICK [HERE](#).



READY TO LABEL
YOURSELF A WINNER?

YOU ARE A FEW EASY
STEPS AWAY FROM
A CHANCE TO
WIN A DREAM HOLIDAY
FOR TWO TO MAURITIUS!

[CLICK HERE TO ENTER](#)



[TERMS & CONDITIONS](#)

[VIEW THE PRIZE DESTINATION](#)



PT-H105

brother
at your side



NO MESS. MORE PRODUCTIVITY. LABEL IT WITH THE BROTHER PT-H105.



The Brother PT-H105 is the ideal machine to simplify your office or home. Here are some of its class leading features:

- TZe Tapes are laminated and very durable
- Fast 20mm/sec Print Speed
- 9 Character Styles
- 178 Symbols
- 7 Frames
- Uses 6, 9 & 12mm TZe Tapes
- Auto Design & Deco Mode Functions
- Easy to View LCD Screen
- Uses X6 AAA Alkaline Batteries (Not Included)
- Optional Mains Adaptor (Not Included)
- 2 Year Warranty

For more info call 0861 KEMTEK or visit www.kemtek.co.za



PT-D200

brother
at your side



TRADE CLUTTER FOR EFFICIENCY. LABEL IT WITH THE BROTHER PT-D200.



The Brother PT-D200 is the ideal machine to create order out of chaos and streamline your office, workplace or home. Here are some of its key features:

- 14 Fonts (8 Alpha, 6 Numeric)
- 617 Symbols
- 99 Frames
- Uses 6, 9 & 12mm TZe Tapes
- Uses X6 AAA Alkaline Batteries (Not Included)
- TZe Tapes are laminated and very durable
- Fast 20mm/sec Print Speed
- Auto Design & Deco Mode Functions
- Easy to View LCD Screen with Ergonomic Keyboard
- Optional Mains Adaptor (Not Included)
- 2 Year Warranty

For more information, please call 0861 KEMTEK or visit our website at www.kemtek.co.za





**OUR
WORK**

CLIENT:
Kerneos



EASY TO USE RAPID SETTING CONCRETE
FLASHCRETE
PLUS+

- ✓ PATCHING
- ✓ CHIMNEY REPAIR
- ✓ GATE POSTS
- ✓ MASONRY REPAIR
- ✓ PIZZA OVEN
- ✓ LARGE CRACKS

45 sets in
MINUTES

10KG

EASY TO USE RAPID SETTING MORTAR
FLASHCRETE

- ✓ ROOFING
- ✓ TOILET PEDESTALS
- ✓ CRACKS
- ✓ GATE HINGES
- ✓ PIPES

5 sets in
MINUTES

5KG

Flashcrete

Rapid setting mortar
sets between 5 and 10 minutes

APPLICATIONS

- Patch repairs and cracks
- Bedding in toilet pedestals
- Toilet pipes and other pipework
- Electrical conduit channels
- Anchorage for gate hinges and bolts
- General rapid repairs
- Repairs to chimneys or pizza ovens

DIRECTIONS FOR USE

- For smaller jobs mix only enough material that can be used in a few minutes
- Use within 3-5 minutes
- Clean tools both before and immediately after use
- Use only for non-structural applications



TOILET BEDDING AND
OTHER PIPEWORKS



ANCHORAGE FOR GATE
HINGES AND BOLTS

Flashcrete Plus+

Rapid setting concrete
sets between 40 and 45 minutes

APPLICATIONS

- General rapid repairs
- Bedding in machinery
- Patch repairs and larger cracks
- Security barriers and posts
- Fence posts
- Repairs to chimneys or pizza ovens

DIRECTIONS FOR USE

- Prepare Flashcrete Plus in small quantities, eg in bucket to a maximum of 10 litres
- For smaller jobs mix only enough material that can be used within 30 minutes
- Use within 30-45 minutes
- Clean tools both before and immediately after use
- Use only for non-structural applications



PATCH AND CRACK
REPAIRS



SECURITY BARRIERS
AND FENCE POSTS

Directions for use of Flashcrete and Flashcrete Plus+

PREPARATION

- Make sure the existing surface is clean, roughened and free from any loose material or dust
- All tools must be thoroughly cleaned before using Flashcrete/Flashcrete Plus
- Thoroughly dampen the existing concrete before placing Flashcrete Plus

MIXING

- Add 500ml of water to a 5kg bucket of Flashcrete or 1 litre of water to a 10kg bucket of Flashcrete Plus
- To mix the product, roll the bucket on the ground with occasional shaking for 1 minute
- Use within 5 minutes of preparation for Flashcrete and 45 minutes for Flashcrete Plus

CURING

Due to the rapid evolution of heat during hardening, Flashcrete and Flashcrete Plus based mortars and concretes must be kept damp immediately after setting and during the first 24 hours by regular spraying of water.

GUIDELINES

- Use clean mixing equipment and drinking water
- Never exceed the cement/water ratio of (10:1) ie. 1 litre water to 10kg Flashcrete Plus and 500ml water to 5kg Flashcrete
- May set faster in hot conditions
- In hot weather, use cold water, avoid hot materials and avoid working in direct sunlight
- Dispose of the remaining concrete/mortar into a rubbish bin. Do not throw product into a drainage system to avoid blockages

Mix Proportions



Remove lid



Add water



Replace lid tightly



Roll bucket and shake
for 1 minute



Use product, within
specified time

*Ratio 500ml water to 5kg Flashcrete • *Ratio 1L water to 10kg Flashcrete Plus





**OUR
WORK**

CLIENT:
Kuhne Nagel

THE GLOBAL LOGISTICS NETWORK



KUEHNE+NAGEL





THE GLOBAL LOGISTICS NETWORK

1800 OFFICES IN OVER
190 COUNTRIES, 83,000 EMPLOYEES

• Kühne + Nagel Office

- NORTH, CENTRAL AND SOUTH AMERICA**
- Argentina
 - Brazil
 - Canada
 - Chile
 - Colombia
 - Costa Rica
 - Cuba
 - Ecuador
 - El Salvador
 - Guatemala
 - Honduras
 - Mexico
 - Nicaragua
 - Paraguay
 - Puerto Rico
 - Trinidad and Tobago
 - USA
 - Venezuela

- EUROPE**
- Albania
 - Austria
 - Belgium
 - Denmark
 - France
 - Germany
 - Greece
 - Italy
 - Poland
 - Portugal
 - Romania
 - Spain
 - Switzerland
 - Turkey
 - UK

- Czech Republic
- Finland
- Hungary
- Latvia
- Lithuania
- Netherlands
- Norway
- Sweden
- Switzerland
- UK

- NEAR- & MIDDLE EAST
CENTRAL ASIA AND AFRICA**
- Algeria
 - Angola
 - Armenia
 - Azerbaijan
 - Bahrain
 - Belgium
 - Burkina Faso
 - Cameroon
 - Canada
 - Chad
 - Cote d'Ivoire
 - DRC
 - Egypt
 - Ethiopia
 - France
 - Germany
 - Ghana
 - India
 - Indonesia
 - Kenya
 - Libya
 - Mali
 - Morocco
 - Nigeria
 - Poland
 - Russia
 - Senegal
 - South Africa
 - Tanzania
 - Togo
 - Tunisia
 - USA
 - Zambia

- Algeria
- Armenia
- Azerbaijan
- Bahrain
- Belgium
- Burkina Faso
- Cameroon
- Canada
- Chad
- Cote d'Ivoire
- DRC
- Egypt
- Ethiopia
- France
- Germany
- Ghana
- India
- Indonesia
- Kenya
- Libya
- Mali
- Morocco
- Nigeria
- Poland
- Russia
- Senegal
- South Africa
- Tanzania
- Togo
- Tunisia
- USA
- Zambia

- ASIA-PACIFIC**
- Albania
 - Algeria
 - Angola
 - Armenia
 - Azerbaijan
 - Bahrain
 - Belgium
 - Burkina Faso
 - Cameroon
 - Canada
 - Chad
 - Cote d'Ivoire
 - DRC
 - Egypt
 - Ethiopia
 - France
 - Germany
 - Ghana
 - India
 - Indonesia
 - Kenya
 - Libya
 - Mali
 - Morocco
 - Nigeria
 - Poland
 - Russia
 - Senegal
 - South Africa
 - Tanzania
 - Togo
 - Tunisia
 - USA
 - Zambia

- Algeria
- Armenia
- Azerbaijan
- Bahrain
- Belgium
- Burkina Faso
- Cameroon
- Canada
- Chad
- Cote d'Ivoire
- DRC
- Egypt
- Ethiopia
- France
- Germany
- Ghana
- India
- Indonesia
- Kenya
- Libya
- Mali
- Morocco
- Nigeria
- Poland
- Russia
- Senegal
- South Africa
- Tanzania
- Togo
- Tunisia
- USA
- Zambia

KUEHNE+NAGEL



SEA AND AIR FREIGHT



SEA FREIGHT

- Lowest cost per unit of weight
- High capacity
- High reliability
- High security
- High flexibility
- High visibility
- High control
- High efficiency
- High speed
- High accuracy
- High quality
- High performance



AIR FREIGHT

- Fastest mode of transport
- High reliability
- High security
- High flexibility
- High visibility
- High control
- High efficiency
- High speed
- High accuracy
- High quality
- High performance

OVERLAND



RAIL

- High capacity
- High reliability
- High security
- High flexibility
- High visibility
- High control
- High efficiency
- High speed
- High accuracy
- High quality
- High performance



TRUCK

- High flexibility
- High reliability
- High security
- High visibility
- High control
- High efficiency
- High speed
- High accuracy
- High quality
- High performance

CONTRACT LOGISTICS



WAREHOUSING

- High capacity
- High reliability
- High security
- High flexibility
- High visibility
- High control
- High efficiency
- High speed
- High accuracy
- High quality
- High performance



DISTRIBUTION

- High flexibility
- High reliability
- High security
- High visibility
- High control
- High efficiency
- High speed
- High accuracy
- High quality
- High performance

OFFICE



INDUSTRY SOLUTIONS

- High capacity
- High reliability
- High security
- High flexibility
- High visibility
- High control
- High efficiency
- High speed
- High accuracy
- High quality
- High performance

INSURANCE



TRANSPORT SOLUTIONS

- High flexibility
- High reliability
- High security
- High visibility
- High control
- High efficiency
- High speed
- High accuracy
- High quality
- High performance



4W LOGIC

- High capacity
- High reliability
- High security
- High flexibility
- High visibility
- High control
- High efficiency
- High speed
- High accuracy
- High quality
- High performance

LEAD LOGISTIC SOLUTIONS

- High capacity
- High reliability
- High security
- High flexibility
- High visibility
- High control
- High efficiency
- High speed
- High accuracy
- High quality
- High performance





**OUR
WORK**

CLIENT:
Real People



REAL PEOPLE™

Responsible Finance. Sustainable Futures

Our vision

Sustainably improving lives



Our values





**OUR
WORK**

CLIENT:
Smeg SA

 smeg
technology with style

View our full product range
www.smeg.co.za



CELEBRATE
SUMMER

MADE IN ITALY

3 YEAR
WARRANTY

LINEA DESIGNS - WHITE



KSE900X EXTRACTOR

Model
4 Speed
4 Stage Performance Motor
24 Litres
24 Litres
Power 400W
2400 RPM
Motor Protection, automatic Oil Separator
Removes Grease and Food Particles 95%

R10 999



PV175CB OVEN

Model
17 Litres
17 Litres
Power 2100W
2100 RPM
Motor Protection, automatic Oil Separator
Removes Grease and Food Particles 95%

R14 999



SF1220 OVEN

Model
12 Litres
12 Litres
Power 2100W
2100 RPM
Motor Protection, automatic Oil Separator
Removes Grease and Food Particles 95%

R11 999



CMSC45B COFFEE MACHINE

Model
1.8 Litres
1.8 Litres
Power 1000W
1000 RPM
Motor Protection, automatic Oil Separator
Removes Grease and Food Particles 95%

R19 499



SC45MB2 MICROWAVE

Model
18 Litres
18 Litres
Power 1000W
1000 RPM
Motor Protection, automatic Oil Separator
Removes Grease and Food Particles 95%

R14 999



SC45VBZ STEAM OVEN

Model
18 Litres
18 Litres
Power 1000W
1000 RPM
Motor Protection, automatic Oil Separator
Removes Grease and Food Particles 95%

R19 499



SC45MCB2 MICROCOOKING OVEN

Model
18 Litres
18 Litres
Power 1000W
1000 RPM
Motor Protection, automatic Oil Separator
Removes Grease and Food Particles 95%

R18 499



CT15B-2 WETTED DISHWASHER

Model
15 Litres
15 Litres
Power 1000W
1000 RPM
Motor Protection, automatic Oil Separator
Removes Grease and Food Particles 95%

R5 999

CLASSIC DESIGNS



DOA330X DOUBLE OVEN

Model
33 Litres
33 Litres
Power 2100W
2100 RPM
Motor Protection, automatic Oil Separator
Removes Grease and Food Particles 95%

R52 999



KSE9700X EXTRACTOR

Model
24 Litres
24 Litres
Power 400W
400 RPM
Motor Protection, automatic Oil Separator
Removes Grease and Food Particles 95%

R10 999



SE2951TC2 CERAMIC HOB

Model
4 Burners
4 Burners
Power 1000W
1000 RPM
Motor Protection, automatic Oil Separator
Removes Grease and Food Particles 95%

R9 699



SE935GH3 GAS HOB

Model
4 Burners
4 Burners
Power 1000W
1000 RPM
Motor Protection, automatic Oil Separator
Removes Grease and Food Particles 95%

R8 499



SE901GGX GAS OVEN

Model
18 Litres
18 Litres
Power 1000W
1000 RPM
Motor Protection, automatic Oil Separator
Removes Grease and Food Particles 95%

R15 999



SOA330X SINGLE OVEN

Model
33 Litres
33 Litres
Power 2100W
2100 RPM
Motor Protection, automatic Oil Separator
Removes Grease and Food Particles 95%

R30 999



KSA600HX EXTRACTOR

Model
24 Litres
24 Litres
Power 400W
400 RPM
Motor Protection, automatic Oil Separator
Removes Grease and Food Particles 95%

R3 999



SIR411D2 INDUCTION HOB

Model
4 Burners
4 Burners
Power 1000W
1000 RPM
Motor Protection, automatic Oil Separator
Removes Grease and Food Particles 95%

R10 499



POF64-4 GAS HOB

Model
6 Burners
6 Burners
Power 1000W
1000 RPM
Motor Protection, automatic Oil Separator
Removes Grease and Food Particles 95%

R7 999



SF341GGX GAS OVEN

Model
34 Litres
34 Litres
Power 2100W
2100 RPM
Motor Protection, automatic Oil Separator
Removes Grease and Food Particles 95%

R9 999



SMEG 500

Refrigerator Color • Full Capacity 100L • 2 Cooling Doors
Adjustable Thermostat • Auto Defrost • Tinned Level Chills
Dimensions (Height/Width/Depth): 632/172/355 mm

SMEG500V SMEG500B SMEG500R

R114 999

REFRIGERATION



FAB32RRN1

Color: Red
Capacity: 100L
Full Capacity 100L
2 Cooling Doors
Adjustable Thermostat
Auto Defrost
Tinned Level Chills
Dimensions (Height/Width/Depth): 632/172/355 mm

R27 999

Available in Red, Green, White, Silver, Black, Paper Blue, Light Green, Paper Blue, Dark Green, Paper Blue, Silver



FAB30RVE1

Color: Light Green
Capacity: 100L
Full Capacity 100L
2 Cooling Doors
Adjustable Thermostat
Auto Defrost
Tinned Level Chills
Dimensions (Height/Width/Depth): 632/172/355 mm

R21 999

Available in Red, Green, White, Silver, Black, Paper Blue, Light Green, Paper Blue, Dark Green, Paper Blue, Silver



FAB3BRAZ1

Color: Light Blue
Capacity: 100L
Full Capacity 100L
2 Cooling Doors
Adjustable Thermostat
Auto Defrost
Tinned Level Chills
Dimensions (Height/Width/Depth): 632/172/355 mm

R18 499

Available in Red, Green, White, Silver, Black, Paper Blue, Light Green, Paper Blue, Dark Green, Paper Blue, Silver



FAB1GR0

Color: Red
Capacity: 100L
Full Capacity 100L
2 Cooling Doors
Adjustable Thermostat
Auto Defrost
Tinned Level Chills
Dimensions (Height/Width/Depth): 632/172/355 mm

R11 999

Available in Red, Green, White, Silver, Black, Paper Blue, Light Green, Paper Blue, Dark Green, Paper Blue, Silver





**CONTACT
US**

Send us a mail:

info@redboxmarketing.co.za

Or give us a shout:

Redbox Office General Line

(+27) 11 467 0399

THANK YOU

REDBOX MARKETING 