REDBOX MARKETING

**PORTFOLIO** 



### **ADVERTISING**

- Campaign Development
- Copywriting
- Digital
- Outdoor
- Print
- Media Planning and Buying
- Radio
- $\bullet\,\mathsf{TV}$

### **CREATIVE DESIGN**

- Annual Reports
- Brochures
- Catalogues
- Corporate Identity development
- Display/Expo Design
- Folders
- HTML Mailers
- Invitations
- Logo Development
- Mobile Apps
- Website Design

### **EVENTS**

- 360° Event Management
- Brand Strategy linking to the event
- Database Management
- Décor
- Hand delivered invitations, telephonic and online RSVP'S
- Hospitality
- Promotional Staff
- Venue Selection



## **CLIENT:**

a.b.e.




















































# CLIENT: ATC







techconcepts.co.za (011) 650 3888


INTERNET ACCESS
MANAGED NETWORKS
MANAGED SERVICES
Voip Solutions
WEB DEVELOPMENT





techconcepts.co.za (011) 650 3888

USE OUR
NEXT GENERATION
NETWORK TO UNLOCK
YOUR BUSINESS'
POTENTIAL.





techconcepts.co.za (011) 650 3888

MAKE OUR
PERSONAL SERVICE
AND FLEXIBILITY
YOUR COMPETITIVE
EDGE.






techconcepts.co.za (011) 650 3888

WE STAY AHEAD OF THE GAME SO YOUR BUSINESS DOESN'T FALL BEHIND.





# **CLIENT:** Absolute Aviation









. . .







# **CLIENT:** CIA

#### JOHANNESBURG

59 Merino Avenue, City Deep, Johannesburg, South Africa P.O. Box 86222, City Deep, 2049, South Africa Tel: +27(0)11 627 2500 Fax: +27(0)11 627 2600 Email: info@ci-automotive.com Website: www.ci-automotive.com







### MERCHANDISE CLAIM FORM

All claims must be submitted to your line manager by 7th monthly. Merchandise will not be replenished if claims are submitted late. Line Managers are to authorise and then pass onto the merchandise controller by 10th of each month.

Date	Customer	Qty	Brand Item Code	Description	Item Value	Total
			10000			
						$\equiv$ $\equiv$ $\equiv$
7 = 1						
7 -						
			10000			
					553	
			<del>''</del>	TOTA	AL EXPENSES	

certify that th	e above exper	iditure has been	incurred on ber	half of the C	ompany

Claimed By:	Authorising Manager:
Signature:	Signature:
Date:	Date:

G	а	b	rı	е	I











CONTROL INSTRUMENTS AUTOMOTIVE (PTY) LTD - REG NO: 1970/012286/07 - DIRECTORS: SD Rogers, FE Gliomee - HOLDING COMPANY: CONTROL INSTRUMENTS GROUP LIMITED











# **CLIENT:** Chryso







### A CHRYSO® Solution for the green revolution:

Many toxic, non biodegradable demoulding oils pollute the soil and groundwater when moulds are washed or rain water runs down the moulds. In addition to this, these toxic demoulding oils can cause occupational lung and skin diseases.

In response to this problem, CHRYSO has developed a biodegradable vegetable based demoulding oil - CHRYSO®Dem Aqua 100. This is a delayed demoulding agent and is the latest development from the CHRYSO research department on emulsified vegetable oil based mould release agents.

#### CHRYSO Southern Africa (Pty) Ltd.

Share Call facility: 0861 CHRYSO

Gauteng (head office): 26 Malcolm Moodie Crescent, Jet Park T: +27(0)11 395 9700 | F: +27(0)11 397 6644 | W: www.chryso.com

CHRYSO Group: 19 Place de la Résistance 92446 Issy-les-Moulineaux cedex, France



## 28 DAYS ACTIVATION

#### MAIN OBJECTIVES

- Increase the limestone content at maximum
- without losing 2 and 28 day strengths
- Increase cement production
- Reduce energy costs Improve cement fluidity

#### CONTEXT

#### 1 - Commercial

- Limestone is the only SCM available in the area
- Clinker is in short supply (import needed)
- Grinding station is at full capacity, market demand is growing

  Production capacity needs to be increased to

#### 2 - Technical

- Cement grinding station capacity: 1 000 000 tonnes/per year
- Grinding process specificities:
   Classical cement ball mill
- Close circuit with 3rd generation classifier Mill energy consumption: 46,5 KW/tonne cement
- Energy cost: US\$0.06/KWh
- · Limestone is ground with the cement in the ball mill
- Current cement specificities without CHRYSO®

#### Activator CEM II B-LL 32,5 R (71% clinker, 24%)

- limestone, 5% synthetic gypsum)
- SSB: 3 500 cm²/g
   Limestone: US\$10/tonne
- Clinker: > US\$50/tonne

#### CHRYSO® PRODUCT CHOICE

■ The CHRYSO® Activator 28 day range is the following:

	Productivity	1 Day activation	28 Day activation	Pack-set index	Chloride content	Dosage (g/ton of cement)
HRYSO®AMA 5 L	+++	++	+++	++	0	300-400
HRYSO®AMA 32 L	+++	++	+++	++	0	250-350
HRYSO®AMA 30 EL	+++	+++	+++	++	0	300-400
HRYSO®AMA 19 EL	++++	++++	++++	+++	0	300-400

#### ■CHRYSO®AMA 32 L and CHRYSO®AMA 19 EL was tested.


■The products are added directly onto the clinker belt and the dosage ranges between 0,3 kg to 0,4 kg/ tonne of material to be ground. Optimum dosage is determined by industrial trials.

#### TRIAL

#### ■ Products tested: CHRYSO®AMA 32 L and CHRYSO®AMA 30 EL.

#### REFERENCE: PRODUCTION WITHOUT ADDITIVES


- During the reference period, the mill was running under usual operating conditions without any additive. The reference production was carried out on day 1. Refer to table for limestone composition overleaf.
- Analysis of the production was conducted online (production feed, Blaine, 45µm and mill temperature) and manually for the pack set index.
- The finished product was tested hourly for Blaine Surface Area, SO3, 45µm fineness and particle size



www.chryso.com


CHRYSO Southern Africa (Pty) Ltd.


Gauteng (head office): 26 Malcolm Moodie, Crescent, Jet Park T: +27(0)11 395 9700 | F: +27(0)11 397 6644 | W: www.chryso.com






# **CLIENT:** Epson







# **CLIENT:** Infinit













# **CLIENT:**Kemtek/Brother













# **CLIENT:** Kerneos







Flashcrete
Rapid setting mortar sets between 5 and 10 minutes

#### APPLICATIONS

- · Patch repairs and cracks
- · Bedding in toilet pedestals
- · Toilet pipes and other pipework
- · Electrical conduit channels
- · Anchorage for gate hinges and bolts
- General rapid repairs
- · Repairs to chimneys or pizza ovens

#### **DIRECTIONS FOR USE**

- For smaller jobs mix only enough material that can be used in a few minutes
- · Use within 3-5 minutes
- · Clean tools both before and immediately after use
- · Use only for non-structural applications



TOILET BEDDING AND



ANCHORAGE FOR GATE HINGES AND BOLTS

### Flashcrete Plus+

**Rapid setting concrete** sets between 40 and 45 minutes

#### APPLICATIONS

- · General rapid repairs
- · Bedding in machinery
- Patch repairs and larger cracks
- · Security barriers and posts
- Fence posts
- Repairs to chimneys or pizza ovens

#### DIRECTIONS FOR USE

- Prepare Flashcrete Plus in small quantities, eq in bucket to a maximum of 10 litres
- For smaller jobs mix only enough material that can be used within 30 minutes
- Use within 30-45 minutes
- · Clean tools both before and immediately after use
- · Use only for non-structural applications





SECURITY BARRIERS AND FENCE POSTS

### **Mix Proportions**



Remove lid



Add water



Replace lid tightly



Roll bucket and shake for 1 minute



Use product, within specified time

\*Ratio 500ml water to 5kg Flashcrete • \*Ratio 1L water to 10kg Flashcrete Plus

### **Directions** for use of Flashcrete and Flashcrete Plus+

#### PREPARATION

- · Make sure the existing surface is clean, roughened and free from any loose material or dust
- All tools must be thoroughly cleaned before using Flashcrete/Flashcrete Plus
- Thoroughly dampen the existing concrete before placing Flashcrete Plus

#### MIXING

- Add 500ml of water to a 5kg bucket of Flashcrete or 1 litre of water to a 10kg bucket of Flashcrete Plus
- To mix the product, roll the bucket on the ground with occasional shaking for 1 minute
- Use within 5 minutes of preparation for Flashcrete and 45 minutes for Flashcrete Plus

#### CURING

Due to the rapid evolution of heat during hardening. Flashcrete and Flashcrete Plus based mortars and concretes must be kept damp immediately after setting and during the first 24 hours by regular spraying of water.

#### **GUIDELINES**

- Use clean mixing equipment and drinking water
- Never exceed the cement/water ratio of (10:1) ie. 1 litre water to 10kg Flashcrete Plus and 500ml water to 5kg Flashcrete
- May set faster in hot conditions
- In hot weather, use cold water, avoid hot materials and avoid working in direct sunlight
- Dispose of the remaining concrete/mortar into a rubbish bin. Do not throw product into a drainage system to avoid blockages





## **CLIENT:** MIP



### taking the pain out of your managed healthcare computer systems

At MIP our thinking is out of the box. The result is total, scaleste solutions that are best suited to your specific needs. Our holistic approach from development of software solutions to training new users, has erabled us to implement systems that work.

The healthcare environment is one that changes rapidly, which is why we develop systems that have the ability to respond dynamically to the constantly fluctuating accession typical of such an environment.

For more information on what we can do to help you with your medical aid administration computer system, contact us on **011 575 1800** or visit our wobsite **www.mip.co.za** 





### taking the sting out of your managed healthcare computer systems

Various factors have contributed to MIP's success. First and foremost, we understand the business of Medical Aid Administration and Managed Healthcare Administration.

Constant changes in regulations and legislation contribute to the dynamic nature of the financial services emisconnect and MIP staff remains abreast of all tress changes. This knowledge allows for the development of software that incorporates the latest changes and our clients are assured of a product that is able to full current and future industry requirements.


For more information on what we can do to help you with your medical slid administration computer system, contact us on 011 575 1800 or visit aur meticals www.mip.co.za





### **CLIENT:** Pecanwood





It's the thud of a golf club hitting a ball. It's a space to play. It's living in the shadow of a legend, on the first Jack Nicklaus designed course. It's the colour green for as far as the eye can see. It's staying on course... literally. Because while Pecanwood means aspiration to some, it's home to those who live here.

Pecanwood: It is a way of life



Golf and Country Club: 012 244 8000 www.pecanwoodgolf.co.zz Pecanwood Homeowners Association:
012 244 1904



## **CLIENT:** Intelliflex









#### intelliFLE文

c: +27 82 577 9957 t: +27 31 764 3679 e: richard@intelliflex.co.za a: 10 Patricia Rd, Gillitts, 3610 w: www.intelliflex.co.za

**Outsourced HR Services** 



# **CLIENT:** Workspace



#### Pippa Rogers

Workspace Design Consulting cc PO Box 1851, Lonehill, 2062 Email: pippa@workspacedesign.co.za

Fax: 011 252 6445 Cell: 082 577 6498

#### Pippa Rogers



Workspace Design Consulting cc PO Box 1851, Lonehill, 2062 pippa@workspacedesign.co.za

Tel: 011 467 3264 Fax: 011 252 6445 Cell: 082 577 6498





Send us a mail:

info@redboxmarketing.co.za

Or give us a shout:

**Redbox Office General Line** 

(+27) 11 467 0399

THANK YOU

REDBOX MARKETING